

TAUTOLOGICAL EQUATIONS IN GENUS 2 VIA INVARIANCE CONJECTURES

D. ARCARA AND Y.-P. LEE

ABSTRACT. We verify the *Invariance Conjectures* of tautological equations [7] in genus two. In particular, a uniform derivation of all known genus two equations is given.

0. INTRODUCTION

The purpose of this paper is to verify the genus two case of *Invariance Conjectures* of tautological equations proposed in [7]. In particular, applying Theorem 5 in [8] (i.e. Conjecture 1 in [7]) and E. Getzler's Hodge numbers calculations [4], we are able to give a uniform derivation of all known genus two tautological equations: Mumford–Getzler's equation, Getzler's equation [4] and Belorousski–Pandharipande's equation [2]. This, combined with [5] in genus one and [1] in genus three, shows that this method generates and proves all known tautological equations.

0.1. Review of the Conjectures. Some ingredients in [7] are needed in our calculations.

- The elements in the $\mathbb{Q}$ -tautological algebra $R^k(\overline{\mathcal{M}}_{g,n})$ are the tautological classes of codimension k in $\overline{\mathcal{M}}_{g,n}$. The notation (g, n, k) will be used to denote the triple (genus, number of marked points, codimension).
- Any tautological class can be represented by a linear combination of decorated (and labeled) graph Γ . See Section 1 in [7]. We use a special notation of graphs, called *gwis*, which are explained in Section 3.1 in [7].
- The operators

$$\mathfrak{r}_l : R^k(\overline{\mathcal{M}}_{g,n}) \rightarrow R^{k+l-1}(\overline{\mathcal{M}}_{g-1,n+2}^\bullet), \quad l = 1, 2, \dots$$

are defined in Definition 2 of [7] as operations on decorated graphs. Note that the image lies in the moduli of possibly *disconnected* curves, with at most two connected components.

Let $\sum_i c_i \Gamma_i = 0$ be a tautological equation in codimension k strata in $\overline{\mathcal{M}}_{g,n}$. The Invariance Conjectures in [7] are:

Theorem 1. ([8], originally Conjecture 1) *For all l*

$$(1) \quad \mathfrak{r}_l\left(\sum_i c_i \Gamma_i\right) = 0.$$

Let $E = \sum_i c_i \Gamma_i$ be a given linear combination of codimension k tautological strata in $\overline{\mathcal{M}}_{g,n}$ and $k < 3g - 3 + n$, with c_i *unknown variables*.

Conjecture 2. *If $\mathfrak{r}_l(E) = 0$ for all l , then $E = 0$ is a tautological equation.*

Conjecture 3. *Conjecture 2 will produce all tautological equations inductively.*

The second author is partially supported by NSF.

0.2. The algorithm of finding tautological equations. A general algorithm of finding the tautological equations, based on Conjectures 2 and 3, is explained in [7] Section 2. Since these remain conjectural, one possible alternative to the general scheme is to

- Calculate the rank of $R^k(\overline{\mathcal{M}}_{g,n})$ to see if there is any new equation.
- If there is one, then apply invariance condition equation (1) to obtain the coefficients of the equation.

Since Theorem 1 gives a *necessary* condition, this procedure gives a proof of the generated tautological equation.

0.3. Main results.

Theorem 2. *Invariance Conjectures hold for $(g, n, k) = (2, 1, 2), (2, 2, 2), (2, 3, 2)$. In particular, a uniform derivation of all known genus two tautological equations is given by invariance condition (1).*

Remark. As explained in [7] and [8], our calculation in terms of gwis can be translated literally into one for any (axiomatic) Gromov–Witten theories. Therefore, it completes (the write-up of) a proof of the genus two case of Virasoro conjecture in the semisimple case and of Witten’s conjecture (on spin curves and Gelfand–Dickey hierarchies).

Acknowledgement. We wish to thank A. Bertram, E. Getzler, A. Givental, R. Pandharipande, and R. Vakil for many useful discussions. The final stage of this work was done during the second author’s visit to NCTS, whose hospitality is greatly appreciated.

1. MUMFORD–GETZLER’S EQUATION IN $\overline{\mathcal{M}}_{2,1}$

In all calculations below, we will employ the “gwi” notations for decorated graphs. It is explained in [7] that gwis are equivalent to the decorated graphs, or a tautological class. The notations are obviously inspired by Gromov–Witten invariants.

1.1. Tautological classes of $R^2(\overline{\mathcal{M}}_{2,1})$. There are 8 boundary strata of codimension ≤ 2 in $\overline{\mathcal{M}}_{2,1}$: 1 stratum in codimension 0, 2 strata in codimension 1, and 5 strata in codimension 2. If we insert ψ classes, the 2 boundary strata in codimension 1 produce 5 different tautological elements in codimension 2. Note that the κ -classes can be expressed in terms of boundary and ψ -classes in genus two. So the only decoration one would need is the ψ -classes.

Here is a list of all the 11 strata with ψ classes in codimension 2:

$$\begin{aligned} &\langle \partial_2^x \rangle_2, \langle \partial^x \partial_1^\mu \partial^\mu \rangle_1, \langle \partial^x \partial_1^\mu \partial^\mu \rangle_1, \langle \partial^x \partial_1^\mu \rangle_1 \langle \partial^\mu \rangle_1, \langle \partial^x \partial^\mu \rangle_1 \langle \partial_1^\mu \rangle_1, \langle \partial_1^\mu \partial^\mu \rangle_1 \langle \partial^\mu \rangle_1, \\ &\langle \partial^\mu \rangle_1 \langle \partial^x \partial^\mu \partial^\nu \partial^\nu \rangle, \langle \partial^x \partial^\mu \rangle_1 \langle \partial^\mu \partial^\nu \partial^\nu \rangle, \langle \partial^\mu \partial^\nu \rangle_1 \langle \partial^x \partial^\mu \partial^\nu \rangle, \langle \partial^\mu \rangle_1 \langle \partial^\nu \rangle_1 \langle \partial^x \partial^\mu \partial^\nu \rangle, \\ &\langle \partial^x \partial^\mu \partial^\mu \partial^\nu \partial^\nu \rangle. \end{aligned}$$

The 5 strata with ψ -classes can be written in terms of the 5 strata without ψ -classes using TRR’s, and therefore we only have 6 terms which could be independent. A general element can be written as

$$\begin{aligned} E = & c_1 \langle \partial_2^x \rangle_2 + c_2 \langle \partial^\mu \rangle_1 \langle \partial^x \partial^\mu \partial^\nu \partial^\nu \rangle + c_3 \langle \partial^x \partial^\mu \rangle_1 \langle \partial^\mu \partial^\nu \partial^\nu \rangle \\ & + c_4 \langle \partial^\mu \partial^\nu \rangle_1 \langle \partial^x \partial^\mu \partial^\nu \rangle + c_5 \langle \partial^\mu \rangle_1 \langle \partial^\nu \rangle_1 \langle \partial^x \partial^\mu \partial^\nu \rangle + c_6 \langle \partial^x \partial^\mu \partial^\mu \partial^\nu \partial^\nu \rangle. \end{aligned}$$

1.2. Calculating $\tau_1(E)$. *Throughout this paper, the labelings i, j are assumed to be symmetrized for l odd, and anti-symmetrized for l even.*

$$\begin{aligned} \langle \partial_2^x \rangle_2 \mapsto & -\frac{1}{2} \langle \partial^\mu \rangle_1 \langle \partial^x \partial^\mu \partial^\nu \rangle \langle \partial^i \partial^j \partial^\nu \rangle - \frac{1}{48} \langle \partial^x \partial^\mu \partial^\mu \partial^\nu \rangle \langle \partial^i \partial^j \partial^\nu \rangle \\ & - \frac{1}{24} \langle \partial^x \partial^\mu \partial^\nu \rangle \langle \partial^i \partial^j \partial^\mu \partial^\nu \rangle - \frac{1}{24} \langle \partial^j \rangle_1 \langle \partial^x \partial^\mu \partial^\nu \rangle \langle \partial^i \partial^\mu \partial^\nu \rangle \end{aligned}$$

$$\begin{aligned}
\langle \partial^\mu \rangle_1 \langle \partial^x \partial^\mu \partial^\nu \partial^\nu \rangle &\mapsto \frac{1}{24} \langle \partial^i \partial^\mu \partial^\mu \rangle \langle \partial^x \partial^j \partial^\nu \partial^\nu \rangle + \langle \partial^j \rangle_1 \langle \partial^i \partial^\mu \partial^\nu \rangle \langle \partial^x \partial^\mu \partial^\nu \rangle \\
&\quad - \frac{1}{2} \langle \partial^i \partial^j \partial^\mu \rangle \langle \partial^x \partial^\mu \partial^\nu \partial^\nu \rangle - \langle \partial^\mu \rangle_1 \langle \partial^x \partial^i \partial^\mu \rangle \langle \partial^j \partial^\nu \partial^\nu \rangle \\
\langle \partial^x \partial^\mu \rangle_1 \langle \partial^\mu \partial^\nu \partial^\nu \rangle &\mapsto \langle \partial^\mu \rangle_1 \langle \partial^i \partial^x \partial^\mu \rangle \langle \partial^j \partial^\nu \partial^\nu \rangle + \frac{1}{24} \langle \partial^i \partial^x \partial^\mu \partial^\mu \rangle \langle \partial^j \partial^\nu \partial^\nu \rangle \\
&\quad - \frac{1}{2} \langle \partial^i \partial^j \partial^x \partial^\mu \rangle \langle \partial^\mu \partial^\nu \partial^\nu \rangle - \langle \partial^i \rangle_1 \langle \partial^j \partial^x \partial^\mu \rangle \langle \partial^\mu \partial^\nu \partial^\nu \rangle \\
\langle \partial^\mu \partial^\nu \rangle_1 \langle \partial^x \partial^\mu \partial^\nu \rangle &\mapsto 2 \langle \partial^\mu \rangle_1 \langle \partial^i \partial^\mu \partial^\nu \rangle \langle \partial^x \partial^j \partial^\nu \rangle + \frac{1}{12} \langle \partial^i \partial^\mu \partial^\mu \partial^\nu \rangle \langle \partial^x \partial^j \partial^\nu \rangle \\
&\quad - \frac{1}{2} \langle \partial^i \partial^j \partial^\mu \partial^\nu \rangle \langle \partial^x \partial^\mu \partial^\nu \rangle - \langle \partial^i \rangle_1 \langle \partial^j \partial^\mu \partial^\nu \rangle \langle \partial^x \partial^\mu \partial^\nu \rangle \\
\langle \partial^\mu \rangle_1 \langle \partial^\nu \rangle_1 \langle \partial^x \partial^\mu \partial^\nu \rangle &\mapsto \frac{1}{12} \langle \partial^\nu \rangle_1 \langle \partial^i \partial^\mu \partial^\mu \rangle \langle \partial^x \partial^j \partial^\nu \rangle - \langle \partial^\nu \rangle_1 \langle \partial^i \partial^j \partial^\mu \rangle \langle \partial^x \partial^\mu \partial^\nu \rangle \\
\langle \partial^x \partial^\mu \partial^\mu \partial^\nu \partial^\nu \rangle &\mapsto 4 \langle \partial^i \partial^\mu \partial^\nu \rangle \langle \partial^x \partial^j \partial^\mu \partial^\nu \rangle - 2 \langle \partial^i \partial^x \partial^\mu \partial^\mu \rangle \langle \partial^j \partial^\nu \partial^\nu \rangle
\end{aligned}$$

1.3. **Setting** $\mathfrak{r}_1(E) = 0$. Now we will pick a basis, and set its coordinates to zero.

$$(2) \quad \langle \partial^\mu \rangle_1 \langle \partial^x \partial^\mu \partial^\nu \rangle \langle \partial^i \partial^j \partial^\nu \rangle : \quad -\frac{1}{2}c_1 + 2c_4 - c_5 = 0.$$

$$(3) \quad \langle \partial^\mu \rangle_1 \langle \partial^x \partial^i \partial^\mu \rangle \langle \partial^j \partial^\nu \partial^\nu \rangle : \quad -c_2 + c_3 + \frac{1}{12}c_5 = 0.$$

$$(4) \quad \langle \partial^i \rangle_1 \langle \partial^j \partial^x \partial^\mu \rangle \langle \partial^\mu \partial^\nu \partial^\nu \rangle : \quad -\frac{1}{24}c_1 + c_2 - c_3 - c_4 = 0.$$

$$(5) \quad \langle \partial^x \partial^i \partial^\mu \partial^\mu \rangle \langle \partial^j \partial^\nu \partial^\nu \rangle : \quad \frac{1}{24}c_2 + \frac{1}{24}c_3 - 2c_6 = 0.$$

The remaining terms are related to each via WDVV as follows:

$$\begin{aligned}
&\langle \partial^x \partial^i \partial^j \partial^\mu \rangle \langle \partial^\mu \partial^\nu \partial^\nu \rangle \\
&= \langle \partial^x \partial^\mu \partial^\mu \partial^\nu \rangle \langle \partial^i \partial^j \partial^\nu \rangle + 2 \langle \partial^x \partial^\mu \partial^\nu \rangle \langle \partial^i \partial^j \partial^\mu \partial^\nu \rangle - 2 \langle \partial^x \partial^i \partial^\mu \rangle \langle \partial^j \partial^\mu \partial^\nu \partial^\nu \rangle, \\
&\langle \partial^x \partial^i \partial^\mu \partial^\nu \rangle \langle \partial^j \partial^\mu \partial^\nu \rangle \\
&= \langle \partial^x \partial^\mu \partial^\mu \partial^\nu \rangle \langle \partial^i \partial^j \partial^\nu \rangle + \langle \partial^x \partial^\mu \partial^\nu \rangle \langle \partial^i \partial^j \partial^\mu \partial^\nu \rangle - \langle \partial^x \partial^i \partial^\mu \rangle \langle \partial^j \partial^\mu \partial^\nu \partial^\nu \rangle.
\end{aligned}$$

Therefore, among the 5 vectors, only 3 of them are linearly independent.

$$(6) \quad \langle \partial^x \partial^\mu \partial^\mu \partial^\nu \rangle \langle \partial^i \partial^j \partial^\nu \rangle : \quad -\frac{1}{48}c_1 - \frac{1}{2}c_2 - \frac{1}{2}c_3 + 4c_6 = 0.$$

$$(7) \quad \langle \partial^x \partial^\mu \partial^\nu \rangle \langle \partial^i \partial^j \partial^\mu \partial^\nu \rangle : \quad -\frac{1}{24}c_1 - \frac{1}{2}c_4 - c_3 + 4c_6 = 0.$$

$$(8) \quad \langle \partial^x \partial^i \partial^\mu \rangle \langle \partial^j \partial^\mu \partial^\nu \partial^\nu \rangle : \quad c_3 + \frac{1}{12}c_4 - 4c_6 = 0.$$

The system of equations (2), (3), (4), (5), (6), (7), and (8) has a unique solution (up to scaling)

$$c_2 = -\frac{13}{240}c_1, \quad c_3 = \frac{1}{240}c_1, \quad c_4 = -\frac{1}{10}c_1, \quad c_5 = -\frac{7}{10}c_1, \quad c_6 = -\frac{1}{960}c_1$$

We therefore obtain that, if we let $c_1 = -1$,

$$\begin{aligned} & -\langle \partial_2^x \rangle_2 + \frac{13}{240} \langle \partial^\mu \rangle_1 \langle \partial^x \partial^\mu \partial^\nu \partial^\nu \rangle - \frac{1}{240} \langle \partial^x \partial^\mu \rangle_1 \langle \partial^\mu \partial^\nu \partial^\nu \rangle \\ & + \frac{1}{10} \langle \partial^\mu \partial^\nu \rangle_1 \langle \partial^x \partial^\mu \partial^\nu \rangle + \frac{7}{10} \langle \partial^\mu \rangle_1 \langle \partial^\nu \rangle_1 \langle \partial^x \partial^\mu \partial^\nu \rangle + \frac{1}{960} \langle \partial^x \partial^\mu \partial^\mu \partial^\nu \partial^\nu \rangle = 0, \end{aligned}$$

which is Mumford–Getzler’s equation.

1.4. **Checking $\mathbf{r}_2(E) = 0$.** Let us now calculate $\mathbf{r}_2(E)$.

$$\begin{aligned} \langle \partial_2^x \rangle_2 & \mapsto -\frac{1}{576} \langle \partial^i \partial^\mu \partial^\mu \rangle \langle \partial^x \partial^\alpha \partial^j \rangle \langle \partial^\alpha \partial^\nu \partial^\nu \rangle \\ \langle \partial^\mu \partial^\mu \partial^\nu \rangle \langle \partial^x \partial^\nu \rangle_1 & \mapsto \frac{1}{24} \langle \partial^j \partial^\mu \partial^\mu \rangle \langle \partial^i \partial^\alpha \partial^\nu \rangle \langle \partial^x \partial^\alpha \partial^\nu \rangle - \frac{1}{24} \langle \partial^j \partial^x \partial^\mu \rangle \langle \partial^i \partial^\nu \partial^\nu \rangle \langle \partial^\alpha \partial^\alpha \partial^\mu \rangle \\ \langle \partial^\mu \partial^\nu \rangle_1 \langle \partial^x \partial^\mu \partial^\nu \rangle & \mapsto -\frac{1}{24} \langle \partial^j \partial^\nu \partial^\mu \rangle \langle \partial^i \partial^\alpha \partial^\alpha \rangle \langle \partial^x \partial^\nu \partial^\mu \rangle \\ \langle \partial^x \partial^\mu \partial^\mu \partial^\nu \partial^\nu \rangle & \mapsto -\langle \partial^j \partial^\mu \partial^\mu \rangle \langle \partial^i \partial^\alpha \partial^\nu \rangle \langle \partial^x \partial^\alpha \partial^\nu \rangle - \langle \partial^j \partial^\mu \partial^\mu \rangle \langle \partial^i \partial^\alpha \partial^\nu \rangle \langle \partial^x \partial^\alpha \partial^\nu \rangle. \end{aligned}$$

The other graphs all have $\mathbf{r}_2(\Gamma) = 0$.

Therefore, $\mathbf{r}_2(E) = 0$ as

$$\frac{1}{576} c_1 + \frac{1}{24} c_3 + \frac{1}{24} c_3 + \frac{1}{24} c_4 - c_6 - c_6 = 0.$$

2. GETZLER’S EQUATION IN $\overline{\mathcal{M}}_{2,2}$

2.1. **Tautological classes in $\overline{\mathcal{M}}_{2,2}$ of codimension 2.** A general linear combination of codimension 2 tautological classes in $\overline{\mathcal{M}}_{2,2}$ is, after removing the linearly dependent classes from the induced equations (TRR’s and Mumford–Getzler’s),

$$\begin{aligned} E = & c_1 \langle \partial_1^x \partial_1^y \rangle_2 + c_2 \langle \partial_1^\mu \rangle_2 \langle \partial^x \partial^y \partial^\mu \rangle + c_3 \langle \partial^x \partial^y \partial^\mu \partial^\mu \partial^\nu \partial^\nu \rangle + c_4 \langle \partial^\mu \partial^\mu \partial^\nu \rangle_1 \langle \partial^x \partial^y \partial^\nu \rangle \\ & + c_5 \langle \partial^x \partial^y \partial^\mu \partial^\mu \partial^\nu \rangle \langle \partial^\nu \rangle_1 + c_6 \langle \partial^x \partial^\mu \partial^\mu \partial^\nu \rangle \langle \partial^y \partial^\nu \rangle_1 + c_7 \langle \partial^y \partial^\mu \partial^\mu \partial^\nu \rangle \langle \partial^x \partial^\nu \rangle_1 \\ & + c_8 \langle \partial^\mu \partial^\mu \partial^\nu \rangle \langle \partial^x \partial^y \partial^\nu \rangle_1 + c_9 \langle \partial^x \partial^\mu \partial^\nu \rangle_1 \langle \partial^y \partial^\mu \partial^\nu \rangle + c_{10} \langle \partial^y \partial^\mu \partial^\nu \rangle_1 \langle \partial^x \partial^\mu \partial^\nu \rangle \\ & + c_{11} \langle \partial^\mu \partial^\nu \rangle_1 \langle \partial^x \partial^y \partial^\mu \partial^\nu \rangle + c_{12} \langle \partial^\mu \partial^\nu \rangle_1 \langle \partial^x \partial^y \partial^\mu \rangle \langle \partial^\nu \rangle_1 + c_{13} \langle \partial^x \partial^y \partial^\mu \partial^\nu \rangle \langle \partial^\mu \rangle_1 \langle \partial^\nu \rangle_1 \\ & + c_{14} \langle \partial^x \partial^\mu \partial^\nu \rangle \langle \partial^\mu \rangle_1 \langle \partial^y \partial^\nu \rangle_1 + c_{15} \langle \partial^y \partial^\mu \partial^\nu \rangle \langle \partial^\mu \rangle_1 \langle \partial^x \partial^\nu \rangle_1. \end{aligned}$$

2.2. **Setting $\mathbf{r}_1(E) = 0$.** The routine calculation of $\mathbf{r}_1(E)$ is omitted. Again, a basis will be chosen and the components set to zero.

$$(9) \quad \langle \partial^x \partial^i \rangle_1 \langle \partial^y \partial^\mu \partial^\nu \rangle \langle \partial^\nu \partial^j \partial^\mu \rangle : \quad c_7 - c_8 - c_9 = 0.$$

$$(10) \quad \langle \partial^y \partial^i \rangle_1 \langle \partial^x \partial^\mu \partial^\nu \rangle \langle \partial^\nu \partial^j \partial^\mu \rangle : \quad c_6 - c_8 - c_{10} = 0.$$

$$(11) \quad \langle \partial^x \partial^\mu \rangle_1 \langle \partial^y \partial^i \partial^\mu \rangle \langle \partial^j \partial^\nu \partial^\nu \rangle : \quad -c_7 + c_8 + \frac{1}{24} c_{15} = 0.$$

$$(12) \quad \langle \partial^y \partial^\mu \rangle_1 \langle \partial^x \partial^i \partial^\mu \rangle \langle \partial^j \partial^\nu \partial^\nu \rangle : \quad -c_6 + c_8 + \frac{1}{24} c_{14} = 0.$$

$$(13) \quad \langle \partial^i \partial^\mu \rangle_1 \langle \partial^x \partial^y \partial^j \rangle \langle \partial^\mu \partial^\nu \partial^\nu \rangle : \quad -\frac{1}{240} c_2 - c_8 = 0.$$

$$(14) \quad \langle \partial^i \partial^\mu \rangle_1 \langle \partial^x \partial^y \partial^\mu \rangle \langle \partial^j \partial^\nu \partial^\nu \rangle : \quad -c_4 + \frac{1}{24} c_{12} = 0.$$

$$(15) \quad \langle \partial^i \rangle_1 \langle \partial^\mu \rangle_1 \langle \partial^x \partial^y \partial^\nu \rangle \langle \partial^\nu \partial^j \partial^\mu \rangle : \quad -2c_1 - c_2 + 2c_{13} - c_{14} - c_{15} = 0.$$

$$(16) \quad \langle \partial^\mu \partial^\nu \rangle_1 \langle \partial^x \partial^y \partial^i \rangle \langle \partial^j \partial^\mu \partial^\nu \rangle : \quad \frac{1}{10}c_2 + c_4 + c_4 - c_{11} = 0.$$

$$(17) \quad \langle \partial^\mu \rangle_1 \langle \partial^\nu \rangle_1 \langle \partial^x \partial^i \partial^\mu \rangle \langle \partial^y \partial^j \partial^\nu \rangle : \quad -c_1 - 2c_{13} + c_{14} + c_{15} = 0.$$

$$(18) \quad \langle \partial^\mu \rangle_1 \langle \partial^\nu \rangle_1 \langle \partial^x \partial^y \partial^i \rangle \langle \partial^j \partial^\mu \partial^\nu \rangle : \quad \frac{7}{10}c_2 + c_{12} - c_{13} = 0.$$

$$(19) \quad \langle \partial^i \partial^\mu \partial^\mu \partial^\nu \rangle \langle \partial^x \partial^y \partial^j \rangle \langle \partial^\nu \rangle_1 : \quad \frac{13}{240}c_2 + c_4 - c_5 + \frac{1}{24}c_{12} = 0.$$

$$(20) \quad \langle \partial^i \partial^x \partial^\mu \partial^\mu \rangle \langle \partial^j \partial^y \partial^\nu \rangle \langle \partial^\nu \rangle_1 : \quad -\frac{1}{24}c_1 - c_5 + c_6 + \frac{1}{24}c_{15} = 0.$$

$$(21) \quad \langle \partial^i \partial^y \partial^\mu \partial^\mu \rangle \langle \partial^j \partial^x \partial^\nu \rangle \langle \partial^\nu \rangle_1 : \quad -\frac{1}{24}c_1 - c_5 + c_7 + \frac{1}{24}c_{14} = 0.$$

$$(22) \quad \langle \partial^i \partial^\mu \partial^\mu \rangle \langle \partial^x \partial^y \partial^j \partial^\nu \rangle \langle \partial^\nu \rangle_1 : \quad -c_5 + c_8 + \frac{1}{12}c_{13} = 0.$$

$$(23) \quad \langle \partial^x \partial^y \partial^i \rangle \langle \partial^j \partial^\mu \partial^\mu \partial^\nu \partial^\nu \rangle : \quad \frac{1}{960}c_2 - c_3 + \frac{1}{24}c_4 = 0.$$

$$(24) \quad \langle \partial^x \partial^i \partial^\mu \partial^\mu \rangle \langle \partial^y \partial^j \partial^\nu \partial^\nu \rangle : \quad -\frac{1}{576}c_1 - 2c_3 + \frac{1}{24}c_6 + \frac{1}{24}c_7 = 0.$$

$$(25) \quad \langle \partial^x \partial^y \partial^i \partial^\mu \partial^\mu \rangle \langle \partial^j \partial^\nu \partial^\nu \rangle : \quad -2c_3 + \frac{1}{24}c_5 + \frac{1}{24}c_8 = 0.$$

The 7 vectors

$$\begin{aligned} & \langle \partial^x \partial^i \partial^\mu \rangle \langle \partial^y \partial^\mu \partial^\nu \partial^\nu \rangle \langle \partial^j \rangle_1, \quad \langle \partial^x \partial^i \partial^\mu \partial^\nu \rangle \langle \partial^y \partial^\mu \partial^\nu \rangle \langle \partial^j \rangle_1, \quad \langle \partial^x \partial^y \partial^\mu \rangle \langle \partial^i \partial^\mu \partial^\nu \partial^\nu \rangle \langle \partial^j \rangle_1, \\ & \langle \partial^x \partial^y \partial^\mu \partial^\nu \rangle \langle \partial^i \partial^\mu \partial^\nu \rangle \langle \partial^j \rangle_1, \quad \langle \partial^x \partial^y \partial^i \partial^\mu \rangle \langle \partial^\mu \partial^\nu \partial^\nu \rangle \langle \partial^j \rangle_1, \quad \langle \partial^x \partial^\mu \partial^\nu \rangle \langle \partial^y \partial^i \partial^\mu \partial^\nu \rangle \langle \partial^j \rangle_1, \\ & \langle \partial^x \partial^\mu \partial^\mu \partial^\nu \rangle \langle \partial^y \partial^i \partial^\nu \rangle \langle \partial^j \rangle_1 \end{aligned}$$

are related by WDVV equations. There are 4 independent vectors.

$$(26) \quad \langle \partial^x \partial^i \partial^\mu \rangle \langle \partial^y \partial^\mu \partial^\nu \partial^\nu \rangle \langle \partial^j \rangle_1 : \quad -\frac{1}{12}c_1 - c_7 + 2c_5 - c_{11} - c_6 = 0.$$

$$(27) \quad \langle \partial^x \partial^i \partial^\mu \partial^\nu \rangle \langle \partial^y \partial^\mu \partial^\nu \rangle \langle \partial^j \rangle_1 : \quad -\frac{1}{12}c_1 - c_9 + 2c_5 - c_{11} + c_{10} - 2c_6 = 0.$$

$$(28) \quad \langle \partial^x \partial^y \partial^\mu \rangle \langle \partial^i \partial^\mu \partial^\nu \partial^\nu \rangle \langle \partial^j \rangle_1 : \quad -\frac{1}{24}c_2 - c_4 - c_5 + \frac{1}{24}c_{12} + c_{11} - c_{10} + c_6 = 0.$$

$$(29) \quad \langle \partial^x \partial^y \partial^i \partial^\mu \rangle \langle \partial^\mu \partial^\nu \partial^\nu \rangle \langle \partial^j \rangle_1 : \quad -c_8 - c_{10} + c_6 = 0.$$

All of the other remaining terms are related to each other via WDVV, TRR's and Getzler's genus one equation. After applying the above equations, one can write them in terms of a basis.

$$(30) \quad \langle \partial^x \partial^i \partial^\mu \rangle \langle \partial^y \partial^j \partial^\nu \rangle \langle \partial^\mu \partial^\nu \rangle_1 : \quad c_1 + c_2 + 20c_4 - 24c_5 + 24c_7 + 2c_9 + 26c_{10} - 2c_{11} = 0.$$

$$(31) \quad \langle \partial^x \partial^y \partial^\mu \rangle \langle \partial^i \partial^j \partial^\nu \rangle \langle \partial^\mu \partial^\nu \rangle_1 : \quad c_1 + \frac{1}{2}c_2 + 12c_4 - 12c_5 + 12c_7 + 12c_{10} - \frac{1}{2}c_{12} = 0.$$

$$(32) \quad \langle \partial^y \partial^i \partial^\mu \rangle \langle \partial^j \partial^\mu \partial^\nu \rangle \langle \partial^x \partial^\nu \rangle_1 : \quad -c_1 - \frac{1}{2}c_2 - 10c_4 + 12c_5 - 12c_7 + 2c_9 - 12c_{10} - \frac{1}{2}c_{15} = 0.$$

$$(33) \quad \langle \partial^x \partial^i \partial^\mu \rangle \langle \partial^j \partial^\mu \partial^\nu \rangle \langle \partial^y \partial^\nu \rangle_1 : \quad -c_1 - \frac{1}{2}c_2 - 10c_4 + 12c_5 - 12c_7 - 10c_{10} - \frac{1}{2}c_{14} = 0.$$

$$(34) \quad \langle \partial^x \partial^y \partial^\mu \rangle \langle \partial^i \partial^\mu \partial^\nu \rangle \langle \partial^j \partial^\nu \rangle_1 : \quad -4c_1 - 2c_2 - 20c_4 + 24c_5 - 24c_7 - 2c_9 - 26c_{10} + 2c_{11} = 0.$$

$$(35) \quad \langle \partial^x \partial^i \partial^\mu \rangle \langle \partial^y \partial^j \partial^\mu \partial^\nu \rangle \langle \partial^\nu \rangle_1 : \quad -3c_1 - c_2 - 8c_4 + 12c_5 - 12c_7 + 2c_9 - 10c_{10} - \frac{1}{2}c_{12} - c_{13} = 0.$$

$$(36) \quad \langle \partial^y \partial^i \partial^j \partial^\mu \rangle \langle \partial^x \partial^\mu \partial^\nu \rangle \langle \partial^\nu \rangle_1 : \quad \frac{3}{2}c_1 + \frac{1}{2}c_2 + 10c_4 - 12c_5 + 12c_7 - 2c_9 + 12c_{10} + c_{13} - \frac{1}{2}c_{14} = 0.$$

$$(37) \quad \langle \partial^y \partial^i \partial^\mu \rangle \langle \partial^x \partial^j \partial^\mu \partial^\nu \rangle \langle \partial^\nu \rangle_1 : \quad -\frac{3}{2}c_1 - \frac{1}{2}c_2 + 2c_4 + 2c_9 - \frac{1}{2}c_{12} - \frac{1}{2}c_{15} = 0.$$

$$(38) \quad \langle \partial^x \partial^y \partial^i \partial^\mu \rangle \langle \partial^j \partial^\mu \partial^\nu \rangle \langle \partial^\nu \rangle_1 : \quad c_1 + c_2 + 8c_4 - 12c_5 + 12c_7 + 12c_{10} + 2c_{11} + \frac{1}{2}c_{12} - c_{13} = 0.$$

$$(39) \quad \langle \partial^x \partial^y \partial^\nu \partial^\mu \rangle \langle \partial^\mu \partial^i \partial^j \partial^\nu \rangle : \quad \frac{1}{24}c_2 + \frac{5}{6}c_4 - \frac{5}{12}c_{11} = 0.$$

$$(40) \quad \langle \partial^x \partial^i \partial^\nu \partial^\mu \rangle \langle \partial^\mu \partial^y \partial^j \partial^\nu \rangle : \quad -\frac{1}{8}c_1 - \frac{1}{24}c_2 + 4c_3 - \frac{5}{6}c_4 - c_7 - c_{10} + \frac{1}{12}c_{11} = 0.$$

$$(41) \quad \langle \partial^x \partial^\nu \partial^\nu \partial^\mu \rangle \langle \partial^\mu \partial^y \partial^i \partial^j \rangle : \quad -\frac{1}{24}c_1 - \frac{1}{24}c_2 - \frac{5}{6}c_4 + c_5 - \frac{1}{2}c_6 - \frac{1}{2}c_7 - \frac{1}{12}c_{11} = 0.$$

$$(42) \quad \langle \partial^x \partial^i \partial^\mu \rangle \langle \partial^\mu \partial^y \partial^j \partial^\nu \partial^\nu \rangle : \quad -\frac{1}{16}c_1 - \frac{1}{48}c_2 - \frac{5}{12}c_4 - \frac{5}{12}c_{10} = 0.$$

$$(43) \quad \langle \partial^y \partial^i \partial^\mu \rangle \langle \partial^\mu \partial^x \partial^j \partial^\nu \partial^\nu \rangle : \quad -\frac{5}{48}c_1 - \frac{1}{16}c_2 - \frac{5}{4}c_4 + c_5 - c_7 + \frac{1}{12}c_9 - \frac{1}{2}c_{10} - \frac{1}{12}c_{11} = 0.$$

$$(44) \quad \langle \partial^y \partial^\nu \partial^\mu \rangle \langle \partial^\mu \partial^x \partial^i \partial^j \partial^\nu \rangle : \quad \frac{1}{24}c_1 + \frac{1}{24}c_2 + \frac{5}{6}c_4 - c_5 + c_7 - \frac{1}{2}c_9 + \frac{1}{2}c_{10} + \frac{1}{12}c_{11} = 0.$$

$$(45) \quad \langle \partial^i \partial^\nu \partial^\mu \rangle \langle \partial^\mu \partial^x \partial^y \partial^j \partial^\nu \rangle : \quad \frac{1}{12}c_1 + \frac{1}{12}c_2 + 4c_3 + \frac{5}{3}c_4 - 2c_5 + c_7 + c_{10} + \frac{1}{12}c_{11} = 0.$$

$$(46) \quad \langle \partial^\nu \partial^\nu \partial^\mu \rangle \langle \partial^\mu \partial^x \partial^y \partial^i \partial^j \rangle : \quad -\frac{1}{24}c_1 - \frac{1}{24}c_2 - \frac{5}{6}c_4 + c_5 - \frac{1}{2}c_7 - \frac{1}{2}c_8 - \frac{1}{2}c_{10} - \frac{1}{12}c_{11} = 0.$$

Solving equations (9)-(46), we can write all of the coefficients in terms of c_1 :

$$\begin{aligned} c_2 &= -3c_1, \quad c_3 = -\frac{1}{576}c_1, \quad c_4 = \frac{1}{30}c_1, \quad c_5 = -\frac{23}{240}c_1, \quad c_6 = -\frac{1}{48}c_1, \quad c_7 = -\frac{1}{48}c_1, \\ c_8 &= \frac{1}{80}c_1, \quad c_9 = -\frac{1}{30}c_1, \quad c_{10} = -\frac{1}{30}c_1, \quad c_{11} = -\frac{7}{30}c_1, \quad c_{12} = \frac{4}{5}c_1, \\ c_{13} &= -\frac{13}{10}c_1, \quad c_{14} = -\frac{4}{5}c_1, \quad c_{15} = -\frac{4}{5}c_1 \end{aligned}$$

and these are the coefficients of Getzler's equation in $\overline{\mathcal{M}}_{2,2}$.

2.3. **Checking $\mathfrak{r}_2(E) = 0$.** Again, one has to pick a basis and check all components vanish.

$$\begin{aligned}
\langle \partial^\mu \rangle_1 \langle \partial^j \partial^x \partial^y \rangle \langle \partial^i \partial^\mu \partial^\nu \rangle \langle \partial^\nu \partial^\alpha \partial^\alpha \rangle : \quad & \frac{1}{20}c_2 + c_4 - c_5 - c_8 + \frac{1}{24}c_{12} = 0. \\
\langle \partial^j \partial^x \partial^y \rangle \langle \partial^i \partial^\mu \partial^\nu \partial^\nu \rangle \langle \partial^\mu \partial^\alpha \partial^\alpha \rangle : \quad & \frac{1}{1152}c_2 - c_3 + \frac{1}{24}c_4 - \frac{1}{24}c_8 = 0. \\
\langle \partial^j \partial^x \partial^y \rangle \langle \partial^i \partial^\mu \partial^\nu \rangle \langle \partial^\mu \partial^\nu \partial^\alpha \partial^\alpha \rangle : \quad & \frac{1}{480}c_2 - 2c_3 + \frac{1}{12}c_4 = 0. \\
\langle \partial^j \rangle_1 \langle \partial^x \partial^y \partial^\mu \rangle \langle \partial^i \partial^\mu \partial^\nu \rangle \langle \partial^\nu \partial^\alpha \partial^\alpha \rangle : \quad & -\frac{1}{12}c_1 - \frac{1}{24}c_2 - c_4 + c_5 - c_8 - c_9 - c_{10} + \frac{1}{24}c_{12} = 0. \\
\langle \partial^\mu \rangle_1 \langle \partial^j \partial^\nu \partial^\nu \rangle \langle \partial^i \partial^\mu \partial^\alpha \rangle \langle \partial^x \partial^y \partial^\alpha \rangle : \quad & \frac{1}{12}c_1 + \frac{1}{24}c_2 - c_4 - c_5 + c_8 + \frac{1}{24}c_{12} + \frac{1}{24}c_{14} + \frac{1}{24}c_{15} = 0. \\
\langle \partial^\mu \rangle_1 \langle \partial^j \partial^y \partial^\mu \rangle \langle \partial^i \partial^\nu \partial^\alpha \rangle \langle \partial^x \partial^\nu \partial^\alpha \rangle : \quad & -\frac{1}{24}c_1 - c_5 + c_8 + c_{10} + \frac{1}{24}c_{15} = 0. \\
\langle \partial^\mu \rangle_1 \langle \partial^j \partial^x \partial^\mu \rangle \langle \partial^i \partial^\nu \partial^\alpha \rangle \langle \partial^y \partial^\nu \partial^\alpha \rangle : \quad & -\frac{1}{24}c_1 - c_5 + c_8 + c_9 + \frac{1}{24}c_{14} = 0. \\
\langle \partial^j \partial^x \partial^\mu \partial^\mu \rangle \langle \partial^i \partial^\nu \partial^\alpha \rangle \langle \partial^y \partial^\nu \partial^\alpha \rangle : \quad & -\frac{1}{576}c_1 - 2c_3 + \frac{1}{24}c_6 + \frac{1}{24}c_8 + \frac{1}{24}c_9 = 0. \\
\langle \partial^j \partial^y \partial^\mu \partial^\mu \rangle \langle \partial^i \partial^\nu \partial^\alpha \rangle \langle \partial^x \partial^\nu \partial^\alpha \rangle : \quad & -\frac{1}{576}c_1 - 2c_3 + \frac{1}{24}c_7 + \frac{1}{24}c_8 + \frac{1}{24}c_{10} = 0.
\end{aligned}$$

The 7 vectors

$$\begin{aligned}
& \langle \partial^i \partial^\mu \partial^\mu \partial^\nu \rangle \langle \partial^x \partial^y \partial^\nu \rangle \langle \partial^j \partial^\alpha \partial^\alpha \rangle, \langle \partial^x \partial^\mu \partial^\nu \partial^\nu \rangle \langle \partial^i \partial^y \partial^\mu \rangle \langle \partial^j \partial^\alpha \partial^\alpha \rangle, \\
& \langle \partial^y \partial^\mu \partial^\nu \partial^\nu \rangle \langle \partial^i \partial^x \partial^\mu \rangle \langle \partial^j \partial^\alpha \partial^\alpha \rangle, \langle \partial^x \partial^y \partial^\mu \partial^\nu \rangle \langle \partial^i \partial^\mu \partial^\nu \rangle \langle \partial^j \partial^\alpha \partial^\alpha \rangle, \\
& \langle \partial^i \partial^x \partial^y \partial^\mu \rangle \langle \partial^\mu \partial^\nu \partial^\nu \rangle \langle \partial^j \partial^\alpha \partial^\alpha \rangle, \langle \partial^i \partial^x \partial^\mu \partial^\nu \rangle \langle \partial^y \partial^\mu \partial^\nu \rangle \langle \partial^j \partial^\alpha \partial^\alpha \rangle, \\
& \langle \partial^i \partial^y \partial^\mu \partial^\nu \rangle \langle \partial^x \partial^\mu \partial^\nu \rangle \langle \partial^j \partial^\alpha \partial^\alpha \rangle
\end{aligned}$$

are related by WDVV equations. 4 of them are linear independent.

$$\begin{aligned}
\langle \partial^i \partial^\mu \partial^\mu \partial^\nu \rangle \langle \partial^x \partial^y \partial^\nu \rangle \langle \partial^j \partial^\alpha \partial^\alpha \rangle : \quad & \frac{1}{288}c_1 + \frac{1}{576}c_2 - 2c_3 + \frac{1}{12}c_8 + \frac{1}{24}c_9 + \frac{1}{24}c_{10} = 0. \\
\langle \partial^x \partial^\mu \partial^\nu \partial^\nu \rangle \langle \partial^i \partial^y \partial^\mu \rangle \langle \partial^j \partial^\alpha \partial^\alpha \rangle : \quad & \frac{1}{24}c_6 - \frac{1}{24}c_8 - \frac{1}{24}c_9 = 0. \\
\langle \partial^y \partial^\mu \partial^\nu \partial^\nu \rangle \langle \partial^i \partial^x \partial^\mu \rangle \langle \partial^j \partial^\alpha \partial^\alpha \rangle : \quad & \frac{1}{24}c_7 - \frac{1}{24}c_8 - \frac{1}{24}c_{10} = 0. \\
\langle \partial^x \partial^y \partial^\mu \partial^\nu \rangle \langle \partial^i \partial^\mu \partial^\nu \rangle \langle \partial^j \partial^\alpha \partial^\alpha \rangle : \quad & \frac{1}{288}c_1 - 4c_3 + \frac{1}{6}c_8 + \frac{1}{24}c_9 + \frac{1}{24}c_{10} + \frac{1}{24}c_{11} = 0.
\end{aligned}$$

All of the remaining strata are related by WDVV equations. Only 3 of them are linearly independent.

$$\begin{aligned}
\langle \partial^x \partial^j \partial^\mu \rangle \langle \partial^\mu \partial^y \partial^i \partial^\nu \rangle \langle \partial^\nu \partial^\alpha \partial^\alpha \rangle : \quad & -4c_3 - \frac{5}{6}c_4 + c_8 + \frac{1}{6}c_9 + \frac{1}{6}c_{10} - \frac{1}{12}c_{11} = 0. \\
\langle \partial^x \partial^j \partial^\alpha \partial^\mu \rangle \langle \partial^\mu \partial^i \partial^\nu \rangle \langle \partial^\nu \partial^y \partial^\alpha \rangle : \quad & -\frac{5}{6}c_4 - \frac{5}{6}c_9 = 0. \\
\langle \partial^y \partial^j \partial^\alpha \partial^\mu \rangle \langle \partial^\mu \partial^i \partial^\nu \rangle \langle \partial^\nu \partial^x \partial^\alpha \rangle : \quad & -\frac{5}{6}c_4 - \frac{5}{6}c_{10} = 0.
\end{aligned}$$

Therefore, $\mathfrak{r}_2(E) = 0$.

$$\begin{aligned}
& \langle \partial^\mu \partial^\mu \partial^\nu \rangle \langle \partial^x \partial^y \partial^\nu \rangle_1 \mapsto \\
& + \frac{1}{24} \langle \partial^\mu \partial^\mu \partial^j \rangle \langle \partial^i \partial^y \partial^\beta \rangle \langle \partial^\beta \partial^\nu \partial^x \rangle \langle \partial^\nu \partial^\alpha \partial^\alpha \rangle - \langle \partial^\mu \partial^\mu \partial^\nu \rangle \langle \partial^i \partial^\alpha \partial^\nu \rangle \langle \partial^\alpha \partial^\beta \partial^y \rangle \langle \partial^\beta \partial^j \partial^x \rangle \\
& + \frac{1}{2} \langle \partial^\mu \partial^\mu \partial^\nu \rangle \langle \partial^i \partial^\beta \partial^y \rangle \langle \partial^j \partial^\alpha \partial^\nu \rangle \langle \partial^\alpha \partial^\beta \partial^x \rangle + \frac{1}{2} \langle \partial^\mu \partial^\mu \partial^\nu \rangle \langle \partial^i \partial^\beta \partial^\nu \rangle \langle \partial^j \partial^\alpha \partial^y \rangle \langle \partial^\alpha \partial^\beta \partial^x \rangle \\
& - \frac{1}{24} \langle \partial^\mu \partial^\mu \partial^\nu \rangle \langle \partial^i \partial^\alpha \partial^x \rangle \langle \partial^\alpha \partial^\beta \partial^\beta \rangle \langle \partial^j \partial^y \partial^\nu \rangle - \frac{1}{24} \langle \partial^\mu \partial^\mu \partial^\nu \rangle \langle \partial^i \partial^\alpha \partial^y \rangle \langle \partial^\alpha \partial^\beta \partial^\beta \rangle \langle \partial^j \partial^x \partial^\nu \rangle \\
& - \frac{1}{24} \langle \partial^\mu \partial^\mu \partial^\nu \rangle \langle \partial^i \partial^\alpha \partial^\nu \rangle \langle \partial^\alpha \partial^\beta \partial^\beta \rangle \langle \partial^j \partial^x \partial^y \rangle + \frac{1}{24} \langle \partial^\mu \partial^\mu \partial^\nu \rangle \langle \partial^i \partial^\alpha \partial^\alpha \rangle \langle \partial^j \partial^\beta \partial^\nu \rangle \langle \partial^\beta \partial^x \partial^y \rangle
\end{aligned}$$

$$\begin{aligned}
& \langle \partial^x \partial^\mu \partial^\nu \rangle_1 \langle \partial^y \partial^\mu \partial^\nu \rangle \mapsto \\
& + \frac{1}{12} \langle \partial^i \partial^\nu \partial^\beta \rangle \langle \partial^\beta \partial^\mu \partial^x \rangle \langle \partial^\mu \partial^\alpha \partial^\alpha \rangle \langle \partial^y \partial^j \partial^\nu \rangle - \langle \partial^i \partial^\alpha \partial^\nu \rangle \langle \partial^\alpha \partial^\beta \partial^\mu \rangle \langle \partial^\beta \partial^j \partial^x \rangle \langle \partial^y \partial^\mu \partial^\nu \rangle \\
& + \frac{1}{2} \langle \partial^i \partial^\beta \partial^\mu \rangle \langle \partial^j \partial^\alpha \partial^\nu \rangle \langle \partial^\alpha \partial^\beta \partial^x \rangle \langle \partial^y \partial^\mu \partial^\nu \rangle + \frac{1}{2} \langle \partial^i \partial^\beta \partial^\nu \rangle \langle \partial^j \partial^\alpha \partial^\mu \rangle \langle \partial^\alpha \partial^\beta \partial^x \rangle \langle \partial^y \partial^\mu \partial^\nu \rangle \\
& - \frac{1}{24} \langle \partial^i \partial^\alpha \partial^x \rangle \langle \partial^\alpha \partial^\beta \partial^\beta \rangle \langle \partial^j \partial^\mu \partial^\nu \rangle \langle \partial^y \partial^\mu \partial^\nu \rangle - \frac{1}{12} \langle \partial^i \partial^\alpha \partial^\mu \rangle \langle \partial^\alpha \partial^\beta \partial^\beta \rangle \langle \partial^j \partial^x \partial^\nu \rangle \langle \partial^y \partial^\mu \partial^\nu \rangle \\
& + \frac{1}{24} \langle \partial^i \partial^\alpha \partial^\alpha \rangle \langle \partial^j \partial^\nu \partial^\beta \rangle \langle \partial^\beta \partial^x \partial^\mu \rangle \langle \partial^y \partial^\mu \partial^\nu \rangle
\end{aligned}$$

$$\begin{aligned}
& \langle \partial^y \partial^\mu \partial^\nu \rangle_1 \langle \partial^x \partial^\mu \partial^\nu \rangle \mapsto \\
& + \frac{1}{12} \langle \partial^i \partial^\nu \partial^\beta \rangle \langle \partial^\beta \partial^\mu \partial^y \rangle \langle \partial^\mu \partial^\alpha \partial^\alpha \rangle \langle \partial^x \partial^j \partial^\nu \rangle - \langle \partial^i \partial^\alpha \partial^\nu \rangle \langle \partial^\alpha \partial^\beta \partial^\mu \rangle \langle \partial^\beta \partial^j \partial^y \rangle \langle \partial^x \partial^\mu \partial^\nu \rangle \\
& + \frac{1}{2} \langle \partial^i \partial^\beta \partial^\mu \rangle \langle \partial^j \partial^\alpha \partial^\nu \rangle \langle \partial^\alpha \partial^\beta \partial^y \rangle \langle \partial^x \partial^\mu \partial^\nu \rangle + \frac{1}{2} \langle \partial^i \partial^\beta \partial^\nu \rangle \langle \partial^j \partial^\alpha \partial^\mu \rangle \langle \partial^\alpha \partial^\beta \partial^y \rangle \langle \partial^x \partial^\mu \partial^\nu \rangle \\
& - \frac{1}{24} \langle \partial^i \partial^\alpha \partial^y \rangle \langle \partial^\alpha \partial^\beta \partial^\beta \rangle \langle \partial^j \partial^\mu \partial^\nu \rangle \langle \partial^x \partial^\mu \partial^\nu \rangle - \frac{1}{12} \langle \partial^i \partial^\alpha \partial^\mu \rangle \langle \partial^\alpha \partial^\beta \partial^\beta \rangle \langle \partial^j \partial^y \partial^\nu \rangle \langle \partial^x \partial^\mu \partial^\nu \rangle \\
& + \frac{1}{24} \langle \partial^i \partial^\alpha \partial^\alpha \rangle \langle \partial^j \partial^\nu \partial^\beta \rangle \langle \partial^\beta \partial^y \partial^\mu \rangle \langle \partial^x \partial^\mu \partial^\nu \rangle
\end{aligned}$$

The other graphs all have $\mathfrak{r}_3(\Gamma) = 0$.

2.5. **Checking $\mathfrak{r}_3(E) = 0$.** Now the $\mathfrak{r}_3(E)$ has only a few independent strata.

$$\langle \partial^i \partial^\mu \partial^\mu \rangle : \quad \frac{1}{288}c_1 + \frac{1}{576}c_2 - 2c_3 + \frac{1}{12}c_8 + \frac{1}{24}c_9 + \frac{1}{24}c_{10} = 0.$$

$$\langle \partial^i \partial^x \partial^y \rangle : \quad \frac{1}{1152}c_2 - c_3 + \frac{1}{24}c_4 - \frac{1}{24}c_8 = 0.$$

$$\langle \partial^i \partial^x \partial^\mu \rangle \langle \partial^\mu \partial^\nu \partial^\nu \rangle \langle \partial^j \partial^y \partial^\alpha \rangle \langle \partial^\alpha \partial^\beta \partial^\beta \rangle : \quad \frac{1}{576}c_1 + 2c_3 - \frac{1}{12}c_8 - \frac{1}{24}c_9 - \frac{1}{24}c_{10} = 0.$$

The remaining strata, which are all equivalent as codimension 4 classes in $\overline{\mathcal{M}}_{1,4}$, have coefficient

$$-\frac{1}{8}c_1 - \frac{1}{24}c_2 = 0.$$

3. THE BELOROUSSKI-PANDHARIPANDE EQUATION IN $\overline{\mathcal{M}}_{2,3}$

3.1. **Strata in $\overline{\mathcal{M}}_{2,3}$ of codimension 2.** Throughout this section, we will always assume that the three external labelings x, y, z are symmetrized.

Using Mumford–Getzler’s and Getzler’s equations for genus 2, all genus 2 terms with more than one descendent can be rewritten in terms of the others. Also, using TRR’s, all genus 0 or

1 terms with a descendent can be rewritten in terms of the others. We are therefore left with 21 strata which could be independent.¹

A general linear combination is

$$\begin{aligned}
 E = \sum_{S_3(x,y,z)} & c_1 \langle \partial^x \partial^\mu \partial^\nu \rangle \langle \partial^\mu \partial^y \partial^z \rangle \langle \partial^\nu \rangle_2 + c_2 \langle \partial^x \partial^y \partial^z \partial^\mu \rangle \langle \partial_1^\mu \rangle_2 + c_3 \langle \partial_1^x \partial^\mu \rangle_2 \langle \partial^\mu \partial^y \partial^z \rangle \\
 & + c_4 \langle \partial^x \partial_1^\mu \rangle_2 \langle \partial^\mu \partial^y \partial^z \rangle + c_5 \langle \partial^x \partial^y \partial^z \partial^\mu \partial^\nu \rangle \langle \partial^\mu \rangle_1 \langle \partial^\nu \rangle_1 \\
 & + c_6 \langle \partial^x \partial^y \partial^\mu \partial^\nu \rangle \langle \partial^\mu \rangle_1 \langle \partial^\nu \partial^z \rangle_1 + c_7 \langle \partial^x \partial^\mu \partial^\nu \rangle \langle \partial^\mu \rangle_1 \langle \partial^\nu \partial^y \partial^z \rangle_1 \\
 & + c_8 \langle \partial^x \partial^\mu \rangle_1 \langle \partial^\mu \partial^y \partial^\nu \rangle \langle \partial^\nu \partial^z \rangle_1 + c_9 \langle \partial^x \partial^y \partial^z \partial^\mu \rangle \langle \partial^\mu \partial^\nu \rangle_1 \langle \partial^\nu \rangle_1 \\
 & + c_{10} \langle \partial^x \partial^\mu \rangle_1 \langle \partial^\mu \partial^\nu \rangle_1 \langle \partial^\nu \partial^y \partial^z \rangle + c_{11} \langle \partial^\mu \rangle_1 \langle \partial^\mu \partial^x \partial^\nu \rangle_1 \langle \partial^\nu \partial^y \partial^z \rangle \\
 & + c_{12} \langle \partial^x \partial^y \partial^z \partial^\mu \partial^\nu \rangle \langle \partial^\nu \rangle_1 + c_{13} \langle \partial^x \partial^y \partial^\mu \partial^\nu \rangle \langle \partial^\nu \partial^z \rangle_1 \\
 & + c_{14} \langle \partial^x \partial^\mu \partial^\mu \partial^\nu \rangle \langle \partial^\nu \partial^y \partial^z \rangle_1 + c_{15} \langle \partial^x \partial^y \partial^z \partial^\mu \rangle_1 \langle \partial^\mu \partial^\nu \partial^\nu \rangle \\
 & + c_{16} \langle \partial^x \partial^y \partial^z \partial^\mu \partial^\nu \rangle \langle \partial^\mu \partial^\nu \rangle_1 + c_{17} \langle \partial^x \partial^y \partial^\mu \partial^\nu \rangle \langle \partial^\mu \partial^\nu \partial^z \rangle_1 \\
 & + c_{18} \langle \partial^x \partial^\mu \partial^\nu \rangle \langle \partial^\mu \partial^\nu \partial^y \partial^z \rangle_1 + c_{19} \langle \partial^x \partial^y \partial^z \partial^\mu \rangle \langle \partial^\mu \partial^\nu \partial^\nu \rangle_1 \\
 & + c_{20} \langle \partial^x \partial^y \partial^\mu \rangle \langle \partial^\mu \partial^\nu \partial^\nu \partial^z \rangle_1 + c_{21} \langle \partial^x \partial^y \partial^z \partial^\mu \partial^\mu \partial^\nu \partial^\nu \rangle = 0,
 \end{aligned}$$

3.2. Setting $\mathbf{r}_1(E) = 0$. Again a basis is chosen for the output graphs of $\mathbf{r}_1(E)$, and the coefficients are set to zero.

$$(47) \quad \langle \partial^x \partial^\mu \partial^j \rangle \langle \partial^\mu \partial^y \partial^z \rangle \langle \partial_1^i \rangle_2 : \quad c_1 + c_2 = 0.$$

$$(48) \quad \langle \partial^x \partial^y \partial^i \rangle \langle \partial^z \partial^\mu \partial^j \rangle \langle \partial_1^\mu \rangle_2 : \quad -3c_2 + 3c_3 + c_4 = 0.$$

$$(49) \quad \langle \partial^x \partial^y \partial^i \rangle_1 \langle \partial^z \partial^j \partial^\mu \rangle \langle \partial^\mu \partial^\nu \partial^\nu \rangle : \quad c_{14} - 3c_{15} - c_{18} = 0.$$

$$(50) \quad \langle \partial^x \partial^y \partial^\mu \rangle_1 \langle \partial^z \partial^i \partial^\mu \rangle \langle \partial^j \partial^\nu \partial^\nu \rangle : \quad \frac{1}{24}c_7 - c_{14} + c_{15} + c_{15} + c_{15} = 0.$$

$$(51) \quad \langle \partial^x \partial^i \partial^\mu \rangle_1 \langle \partial^\mu \partial^\nu \partial^\nu \rangle \langle \partial^y \partial^z \partial^j \rangle : \quad -\frac{1}{80}c_3 - \frac{1}{240}c_4 - 3c_{15} = 0.$$

$$(52) \quad \langle \partial^x \partial^i \partial^\mu \rangle_1 \langle \partial^y \partial^z \partial^\mu \rangle \langle \partial^j \partial^\nu \partial^\nu \rangle : \quad -c_{20} + \frac{1}{24}c_{11} = 0.$$

$$(53) \quad \langle \partial^x \partial^\mu \partial^\nu \rangle_1 \langle \partial^i \partial^\mu \partial^\nu \rangle \langle \partial^y \partial^z \partial^j \rangle : \quad \frac{1}{30}c_3 + \frac{1}{10}c_4 - c_{17} + c_{20} + c_{20} = 0.$$

$$(54) \quad \langle \partial^i \partial^\mu \partial^\nu \rangle_1 \langle \partial^x \partial^\mu \partial^\nu \rangle \langle \partial^y \partial^z \partial^j \rangle : \quad \frac{1}{30}c_3 - c_{18} = 0.$$

$$(55) \quad \langle \partial^i \partial^\mu \partial^\mu \rangle_1 \langle \partial^x \partial^y \partial^\nu \rangle \langle \partial^\nu \partial^z \partial^j \rangle : \quad c_{19} - c_{20} = 0.$$

$$(56) \quad \langle \partial^\mu \partial^\nu \partial^\nu \rangle_1 \langle \partial^x \partial^i \partial^\mu \rangle \langle \partial^y \partial^z \partial^j \rangle : \quad -\frac{1}{30}c_3 - 2c_{19} - c_{19} + c_{20} = 0.$$

$$(57) \quad \langle \partial^x \partial^i \rangle_1 \langle \partial^\mu \rangle_1 \langle \partial^y \partial^z \partial^\nu \rangle \langle \partial^\nu \partial^j \partial^\mu \rangle : \quad -c_4 + c_6 - 2c_7 + c_{10} - c_{11} = 0.$$

¹We rewrote the strata here in the same order as in the Belorousski-Pandharipande equation, with the extra strata $\langle \partial^x \partial^y \partial^z \partial^\mu \partial^\mu \partial^\nu \rangle$, which does not appear in the equation, at the end.

$$(58) \quad \langle \partial^x \partial^\mu \rangle_1 \langle \partial^\nu \rangle_1 \langle \partial^i \partial^\mu \partial^\nu \rangle \langle \partial^y \partial^z \partial^j \rangle : \quad \frac{4}{5}c_3 + \frac{7}{5}c_4 - c_6 + c_{10} + c_{11} = 0.$$

$$(59) \quad \langle \partial^x \partial^\mu \rangle_1 \langle \partial^\mu \partial^y \partial^i \rangle \langle \partial^\nu \rangle_1 \langle \partial^\nu \partial^z \partial^j \rangle : \quad -2c_6 + c_7 + c_7 + 2c_8 = 0.$$

$$(60) \quad \langle \partial^i \partial^\mu \rangle_1 \langle \partial^\nu \rangle_1 \langle \partial^x \partial^\mu \partial^\nu \rangle \langle \partial^y \partial^z \partial^j \rangle : \quad \frac{4}{5}c_3 - c_7 = 0.$$

$$(61) \quad \langle \partial^i \partial^\mu \rangle_1 \langle \partial^\mu \partial^x \partial^y \rangle \langle \partial^\nu \rangle_1 \langle \partial^\nu \partial^z \partial^j \rangle : \quad -c_3 + c_{10} - c_{11} = 0.$$

$$(62) \quad \langle \partial^i \partial^\mu \rangle_1 \langle \partial^\mu \rangle_1 \langle \partial^x \partial^y \partial^\nu \rangle \langle \partial^\nu \partial^z \partial^j \rangle : \quad c_9 - c_{11} = 0.$$

$$(63) \quad \langle \partial^\mu \partial^\nu \rangle_1 \langle \partial^\mu \rangle_1 \langle \partial^x \partial^i \partial^\nu \rangle \langle \partial^y \partial^z \partial^j \rangle : \quad -\frac{4}{5}c_3 - 2c_9 - c_9 + c_{11} = 0.$$

$$(64) \quad \langle \partial^\mu \partial^\nu \rangle_1 \langle \partial^i \partial^\mu \partial^\nu \rangle \langle \partial^x \partial^y \partial^z \partial^j \rangle : \quad , \frac{1}{10}c_2 - c_{16} + c_{19} + c_{19} = 0.$$

$$(65) \quad \langle \partial^i \partial^\mu \rangle_1 \langle \partial^\mu \partial^\nu \partial^\nu \rangle \langle \partial^x \partial^y \partial^z \partial^j \rangle : \quad , -\frac{1}{240}c_2 - c_{15} = 0.$$

$$(66) \quad \langle \partial^x \partial^\mu \rangle_1 \langle \partial^i \partial^\mu \partial^\nu \partial^\nu \rangle \langle \partial^y \partial^z \partial^j \rangle : \quad \frac{1}{48}c_3 + \frac{13}{240}c_4 + \frac{1}{24}c_{10} - c_{13} + c_{20} = 0.$$

$$(67) \quad \langle \partial^\mu \rangle_1 \langle \partial^\nu \rangle_1 \langle \partial^i \partial^\mu \partial^\nu \rangle \langle \partial^x \partial^y \partial^z \partial^j \rangle : \quad \frac{7}{10}c_2 - c_5 + c_9 = 0.$$

$$(68) \quad \langle \partial^\mu \rangle_1 \langle \partial^i \partial^\mu \partial^\nu \partial^\nu \rangle \langle \partial^x \partial^y \partial^z \partial^j \rangle : \quad \frac{13}{240}c_2 + \frac{1}{24}c_9 - c_{12} + c_{19} = 0.$$

$$(69) \quad \langle \partial^x \partial^y \partial^i \rangle \langle \partial^j \partial^z \partial^\mu \partial^\mu \partial^\nu \partial^\nu \rangle : \quad \frac{1}{576}c_3 + \frac{1}{960}c_4 + \frac{1}{24}c_{20} + 3c_{21} = 0.$$

$$(70) \quad \langle \partial^\mu \partial^\mu \partial^i \rangle \langle \partial^j \partial^x \partial^y \partial^z \partial^\nu \partial^\nu \rangle : \quad \frac{1}{24}c_{12} + \frac{1}{24}c_{15} + 2c_{21} = 0.$$

$$(71) \quad \langle \partial^x \partial^y \partial^z \partial^i \rangle \langle \partial^j \partial^\mu \partial^\mu \partial^\nu \partial^\nu \rangle : \quad \frac{1}{960}c_2 + \frac{1}{24}c_{19} + c_{21} = 0.$$

$$(72) \quad \langle \partial^x \partial^\mu \partial^\mu \partial^i \rangle \langle \partial^j \partial^y \partial^z \partial^\nu \partial^\nu \rangle : \quad \frac{1}{24}c_{13} + \frac{1}{24}c_{14} + 6c_{21} = 0.$$

The coefficients of the Belorousski-Pandharipande equation are the only solution of the equations (47)-(72).

3.3. Checking $\mathbf{r}_2(E) = 0$. Since the whole output graphs are far too numerous, we shall present the the coefficients of the following four (disconnected) graphs are zero:

$$\begin{aligned} &\langle \partial^i \partial^x \rangle_1 \langle \partial^j \partial^y \partial^\mu \rangle \langle \partial^\mu \partial^z \partial^\nu \rangle \langle \partial^\nu \partial^\alpha \partial^\alpha \rangle, \quad \langle \partial^i \partial^\mu \rangle_1 \langle \partial^\mu \partial^x \partial^y \rangle \langle \partial^j \partial^z \partial^\nu \rangle \langle \partial^\nu \partial^\alpha \partial^\alpha \rangle \\ &\langle \partial^\mu \partial^\nu \rangle_1 \langle \partial^i \partial^\mu \partial^\nu \rangle \langle \partial^j \partial^x \partial^\alpha \rangle \langle \partial^\alpha \partial^y \partial^z \rangle, \quad \langle \partial^x \partial^\mu \rangle_1 \langle \partial^\mu \partial^i \partial^y \rangle \langle \partial^j \partial^z \partial^\nu \rangle \langle \partial^\nu \partial^\alpha \partial^\alpha \rangle \end{aligned}$$

In the following, the graphs Γ appearing in BP equation such that $\mathbf{r}_2(\Gamma)$ contain any of the above four graphs will be listed.

$$\begin{aligned} &\langle \partial^x \partial^\mu \partial^\nu \rangle \langle \partial^\mu \partial^y \partial^z \rangle \langle \partial^\nu \rangle_2 \mapsto \frac{1}{10} \langle \partial^\mu \partial^\nu \rangle_1 \langle \partial^i \partial^\mu \partial^\nu \rangle \langle \partial^j \partial^x \partial^\alpha \rangle \langle \partial^\alpha \partial^y \partial^z \rangle + \dots \\ &\langle \partial_1^x \partial^\mu \rangle_2 \langle \partial^\mu \partial^y \partial^z \rangle \mapsto \frac{1}{24} \langle \partial^i \partial^\mu \rangle_1 \langle \partial^\mu \partial^x \partial^y \rangle \langle \partial^j \partial^z \partial^\nu \rangle \langle \partial^\nu \partial^\alpha \partial^\alpha \rangle + \dots \\ &\langle \partial^x \partial_1^\mu \rangle_2 \langle \partial^\mu \partial^y \partial^z \rangle \mapsto \frac{1}{24} \langle \partial^i \partial^x \rangle_1 \langle \partial^j \partial^y \partial^\mu \rangle \langle \partial^\mu \partial^z \partial^\nu \rangle \langle \partial^\nu \partial^\alpha \partial^\alpha \rangle + \dots \\ &\langle \partial^x \partial^\mu \rangle_1 \langle \partial^\mu \partial^y \partial^\nu \rangle \langle \partial^\nu \partial^z \rangle_1 \mapsto -\frac{1}{12} \langle \partial^x \partial^\mu \rangle_1 \langle \partial^\mu \partial^i \partial^y \rangle \langle \partial^j \partial^z \partial^\nu \rangle \langle \partial^\nu \partial^\alpha \partial^\alpha \rangle + \dots \\ &\langle \partial^x \partial^\mu \rangle_1 \langle \partial^\mu \partial^\nu \rangle_1 \langle \partial^\nu \partial^y \partial^z \rangle \mapsto \\ &\quad -\frac{1}{24} \langle \partial^i \partial^x \rangle_1 \langle \partial^j \partial^y \partial^\mu \rangle \langle \partial^\mu \partial^z \partial^\nu \rangle \langle \partial^\nu \partial^\alpha \partial^\alpha \rangle - \frac{1}{24} \langle \partial^i \partial^\mu \rangle_1 \langle \partial^\mu \partial^x \partial^y \rangle \langle \partial^j \partial^z \partial^\nu \rangle \langle \partial^\nu \partial^\alpha \partial^\alpha \rangle + \dots \\ &\langle \partial^x \partial^y \partial^\mu \partial^\mu \partial^\nu \rangle \langle \partial^\nu \partial^z \rangle_1 \mapsto \\ &\quad -\langle \partial^i \partial^x \rangle_1 \langle \partial^j \partial^y \partial^\mu \rangle \langle \partial^\mu \partial^z \partial^\nu \rangle \langle \partial^\nu \partial^\alpha \partial^\alpha \rangle + 2 \langle \partial^x \partial^\mu \rangle_1 \langle \partial^\mu \partial^i \partial^y \rangle \langle \partial^j \partial^z \partial^\nu \rangle \langle \partial^\nu \partial^\alpha \partial^\alpha \rangle + \dots \\ &\langle \partial^x \partial^y \partial^z \partial^\mu \rangle_1 \langle \partial^\mu \partial^\nu \partial^\nu \rangle \mapsto \\ &\quad -6 \langle \partial^x \partial^\mu \rangle_1 \langle \partial^\mu \partial^i \partial^y \rangle \langle \partial^j \partial^z \partial^\nu \rangle \langle \partial^\nu \partial^\alpha \partial^\alpha \rangle + 3 \langle \partial^i \partial^x \rangle_1 \langle \partial^j \partial^y \partial^\mu \rangle \langle \partial^\mu \partial^z \partial^\nu \rangle \langle \partial^\nu \partial^\alpha \partial^\alpha \rangle + \dots \\ &\langle \partial^x \partial^y \partial^z \partial^\mu \partial^\nu \rangle \langle \partial^\mu \partial^\nu \rangle_1 \mapsto \langle \partial^\mu \partial^\nu \rangle_1 \langle \partial^i \partial^\mu \partial^\nu \rangle \langle \partial^j \partial^x \partial^\alpha \rangle \langle \partial^\alpha \partial^y \partial^z \rangle + \dots \\ &\langle \partial^x \partial^\mu \partial^\nu \rangle \langle \partial^\mu \partial^\nu \partial^y \partial^z \rangle_1 \mapsto \\ &\quad 2 \langle \partial^i \partial^x \rangle_1 \langle \partial^j \partial^y \partial^\mu \rangle \langle \partial^\mu \partial^z \partial^\nu \rangle \langle \partial^\nu \partial^\alpha \partial^\alpha \rangle - 2 \langle \partial^x \partial^\mu \rangle_1 \langle \partial^\mu \partial^i \partial^y \rangle \langle \partial^j \partial^z \partial^\nu \rangle \langle \partial^\nu \partial^\alpha \partial^\alpha \rangle + \dots \\ &\langle \partial^x \partial^y \partial^\mu \rangle \langle \partial^\mu \partial^\nu \partial^\nu \partial^z \rangle_1 \mapsto \\ &\quad -2 \langle \partial^\mu \partial^\nu \rangle_1 \langle \partial^i \partial^\mu \partial^\nu \rangle \langle \partial^j \partial^x \partial^\alpha \rangle \langle \partial^\alpha \partial^y \partial^z \rangle + \langle \partial^i \partial^x \rangle_1 \langle \partial^j \partial^y \partial^\mu \rangle \langle \partial^\mu \partial^z \partial^\nu \rangle \langle \partial^\nu \partial^\alpha \partial^\alpha \rangle \\ &\quad + \langle \partial^i \partial^\mu \rangle_1 \langle \partial^\mu \partial^x \partial^y \rangle \langle \partial^j \partial^z \partial^\nu \rangle \langle \partial^\nu \partial^\alpha \partial^\alpha \rangle + \dots \end{aligned}$$

Checking the coefficients:

$$\langle \partial^i \partial^x \rangle_1 \langle \partial^j \partial^y \partial^\mu \rangle \langle \partial^\mu \partial^z \partial^\nu \rangle \langle \partial^\nu \partial^\alpha \partial^\alpha \rangle : \quad \frac{1}{24} c_4 - \frac{1}{24} c_{10} - c_{13} + 3c_{15} + 2c_{18} + c_{20} = 0.$$

$$\langle \partial^i \partial^\mu \rangle_1 \langle \partial^\mu \partial^x \partial^y \rangle \langle \partial^j \partial^z \partial^\nu \rangle \langle \partial^\nu \partial^\alpha \partial^\alpha \rangle : \quad \frac{1}{24} c_3 - \frac{1}{24} c_{10} + c_{20} = 0.$$

$$\langle \partial^\mu \partial^\nu \rangle_1 \langle \partial^i \partial^\mu \partial^\nu \rangle \langle \partial^j \partial^x \partial^\alpha \rangle \langle \partial^\alpha \partial^y \partial^z \rangle : \quad \frac{1}{10} c_{10} + c_{16} - 2c_{20} = 0.$$

$$\langle \partial^x \partial^\mu \rangle_1 \langle \partial^\mu \partial^i \partial^y \rangle \langle \partial^j \partial^z \partial^\nu \rangle \langle \partial^\nu \partial^\alpha \partial^\alpha \rangle : \quad -\frac{1}{12} c_8 + 2c_{13} - 6c_{15} - 2c_{18} = 0.$$

Checking the coefficients:

$$\langle \partial^x \partial^y \partial^z \partial^i \rangle \langle \partial^j \partial^\alpha \partial^\mu \rangle \langle \partial^\mu \partial^\alpha \partial^\nu \rangle \langle \partial^\nu \partial^\beta \partial^\beta \rangle : \quad \frac{1}{1152} c_2 - \frac{1}{24} c_{15} + \frac{1}{24} c_{19} = 0.$$

$$\langle \partial^i \rangle_1 \langle \partial^x \partial^y \partial^\mu \rangle \langle \partial^\mu \partial^z \partial^\nu \rangle \langle \partial^\nu \partial^i \partial^\alpha \rangle \langle \partial^\alpha \partial^\beta \partial^\beta \rangle : \quad -\frac{1}{24} c_1 - \frac{1}{12} c_3 - \frac{1}{12} c_4 + \frac{1}{24} c_{11} + c_{12} - c_{15} - c_{18} - c_{20} = 0.$$

$$\langle \partial^i \partial^x \partial^\mu \partial^\mu \rangle \langle \partial^y \partial^z \partial^\nu \rangle \langle \partial^\nu \partial^j \partial^\alpha \rangle \langle \partial^\alpha \partial^\beta \partial^\beta \rangle : \quad -\frac{1}{576} c_3 + \frac{1}{576} c_4 + \frac{1}{24} c_{14} + \frac{1}{8} c_{15} + \frac{1}{12} c_{18} = 0.$$

$$\langle \partial^\mu \rangle_1 \langle \partial^\mu \partial^i \partial^x \rangle \langle \partial^y \partial^z \partial^\nu \rangle \langle \partial^\nu \partial^j \partial^\alpha \rangle \langle \partial^\alpha \partial^\beta \partial^\beta \rangle : \quad -\frac{1}{24} c_3 + \frac{1}{24} c_4 + \frac{1}{24} c_7 - \frac{1}{24} c_{11} - 3c_{12} + 3c_{15} + 2c_{18} + c_{20} = 0.$$

3.5. **Checking $\mathfrak{r}_4(E) = 0$.** Since $l = 4$ case is new, the calculation is presented.

$$\begin{aligned} & \langle \partial^x \partial^\mu \partial^\nu \rangle \langle \partial^\mu \partial^y \partial^z \rangle \langle \partial^\nu \rangle_2 \mapsto \\ & -\frac{1}{5760} \langle \partial^x \partial^\mu \partial^j \rangle \langle \partial^\mu \partial^y \partial^z \rangle \langle \partial^i \partial^\beta \partial^\nu \rangle \langle \partial^\beta \partial^\gamma \partial^\gamma \rangle \langle \partial^\nu \partial^\alpha \partial^\alpha \rangle \\ & +\frac{1}{960} \langle \partial^x \partial^\mu \partial^j \rangle \langle \partial^\mu \partial^y \partial^z \rangle \langle \partial^i \partial^\beta \partial^\alpha \rangle \langle \partial^\beta \partial^\gamma \partial^\alpha \rangle \langle \partial^\gamma \partial^\nu \partial^\nu \rangle \\ & +\frac{1}{576} \langle \partial^x \partial^\mu \partial^\nu \rangle \langle \partial^\mu \partial^y \partial^z \rangle \langle \partial^i \partial^\beta \partial^\nu \rangle \langle \partial^\beta \partial^\gamma \partial^\gamma \rangle \langle \partial^j \partial^\alpha \partial^\alpha \rangle \end{aligned}$$

$$\begin{aligned} & \langle \partial_1^x \partial^\mu \rangle_2 \langle \partial^\mu \partial^y \partial^z \rangle \mapsto \\ & -\frac{1}{1920} \langle \partial^i \partial^\nu \partial^\alpha \rangle \langle \partial^\alpha \partial^\beta \partial^x \rangle \langle \partial^\beta \partial^\gamma \partial^\gamma \rangle \langle \partial^\mu \partial^\mu \partial^\nu \rangle \langle \partial^j \partial^y \partial^z \rangle \\ & +\frac{1}{720} \langle \partial^x \partial^\mu \partial^\nu \rangle \langle \partial^i \partial^\nu \partial^\alpha \rangle \langle \partial^\alpha \partial^\beta \partial^\mu \rangle \langle \partial^\beta \partial^\gamma \partial^\gamma \rangle \langle \partial^j \partial^y \partial^z \rangle \\ & +\frac{1}{576} \langle \partial^i \partial^\nu \partial^\alpha \rangle \langle \partial^\alpha \partial^\beta \partial^\nu \rangle \langle \partial^\beta \partial^\gamma \partial^\mu \rangle \langle \partial^\gamma \partial^x \partial^\mu \rangle \langle \partial^j \partial^y \partial^z \rangle \\ & +\frac{1}{576} \langle \partial^x \partial^\mu \partial^\alpha \rangle \langle \partial^\alpha \partial^i \partial^\beta \rangle \langle \partial^\beta \partial^\gamma \partial^\gamma \rangle \langle \partial^j \partial^\nu \partial^\nu \rangle \langle \partial^\mu \partial^y \partial^z \rangle \\ & +\frac{1}{576} \langle \partial^i \partial^\beta \partial^\mu \rangle \langle \partial^\gamma \partial^x \partial^\alpha \rangle \langle \partial^\alpha \partial^\beta \partial^\gamma \rangle \langle \partial^j \partial^\nu \partial^\nu \rangle \langle \partial^\mu \partial^y \partial^z \rangle \\ & +\frac{1}{576} \langle \partial^i \partial^\beta \partial^\mu \rangle \langle \partial^\beta \partial^\gamma \partial^\gamma \rangle \langle \partial^x \partial^\alpha \partial^\nu \rangle \langle \partial^\alpha \partial^j \partial^\nu \rangle \langle \partial^\mu \partial^y \partial^z \rangle \end{aligned}$$

$$\begin{aligned} & \langle \partial^x \partial_1^\mu \rangle_2 \langle \partial^\mu \partial^y \partial^z \rangle \mapsto \\ & -\frac{1}{5760} \langle \partial^i \partial^x \partial^\alpha \rangle \langle \partial^\alpha \partial^\beta \partial^\mu \rangle \langle \partial^\beta \partial^\gamma \partial^\gamma \rangle \langle \partial^\mu \partial^\nu \partial^\nu \rangle \langle \partial^j \partial^y \partial^z \rangle \\ & +\frac{1}{960} \langle \partial^i \partial^x \partial^\alpha \rangle \langle \partial^\alpha \partial^\beta \partial^\nu \rangle \langle \partial^\beta \partial^\gamma \partial^\nu \rangle \langle \partial^\gamma \partial^\mu \partial^\mu \rangle \langle \partial^j \partial^y \partial^z \rangle \\ & +\frac{1}{576} \langle \partial^\mu \partial^x \partial^\alpha \rangle \langle \partial^\alpha \partial^i \partial^\beta \rangle \langle \partial^\beta \partial^\gamma \partial^\gamma \rangle \langle \partial^j \partial^\nu \partial^\nu \rangle \langle \partial^\mu \partial^y \partial^z \rangle \\ & +\frac{1}{576} \langle \partial^i \partial^\beta \partial^x \rangle \langle \partial^\gamma \partial^\mu \partial^\alpha \rangle \langle \partial^\alpha \partial^\beta \partial^\gamma \rangle \langle \partial^j \partial^\nu \partial^\nu \rangle \langle \partial^\mu \partial^y \partial^z \rangle \\ & +\frac{1}{576} \langle \partial^i \partial^\beta \partial^x \rangle \langle \partial^\beta \partial^\gamma \partial^\gamma \rangle \langle \partial^\mu \partial^\alpha \partial^\nu \rangle \langle \partial^\alpha \partial^j \partial^\nu \rangle \langle \partial^\mu \partial^y \partial^z \rangle \end{aligned}$$

$$\begin{aligned}
& \langle \partial^x \partial^y \partial^z \partial^\mu \rangle_1 \langle \partial^\mu \partial^\nu \partial^\nu \rangle \mapsto \\
& + \frac{1}{24} \langle \partial^i \partial^\alpha \partial^\nu \rangle \langle \partial^\nu \partial^\beta \partial^\alpha \rangle \langle \partial^\beta \partial^\gamma \partial^z \rangle \langle \partial^\gamma \partial^x \partial^y \rangle \langle \partial^j \partial^\mu \partial^\mu \rangle \\
& - \frac{1}{8} \langle \partial^i \partial^y \partial^\alpha \rangle \langle \partial^\alpha \partial^\beta \partial^x \rangle \langle \partial^\beta \partial^\gamma \partial^\gamma \rangle \langle \partial^j \partial^z \partial^\mu \rangle \langle \partial^\mu \partial^\nu \partial^\nu \rangle \\
& - \frac{1}{8} \langle \partial^i \partial^\mu \partial^\alpha \rangle \langle \partial^\alpha \partial^\beta \partial^x \rangle \langle \partial^\beta \partial^\gamma \partial^\gamma \rangle \langle \partial^j \partial^y \partial^z \rangle \langle \partial^\mu \partial^\nu \partial^\nu \rangle \\
& + \frac{1}{8} \langle \partial^i \partial^\beta \partial^x \rangle \langle \partial^\beta \partial^\gamma \partial^\gamma \rangle \langle \partial^j \partial^\alpha \partial^\mu \rangle \langle \partial^\alpha \partial^y \partial^z \rangle \langle \partial^\mu \partial^\nu \partial^\nu \rangle \\
& + \frac{1}{24} \langle \partial^i \partial^\beta \partial^\mu \rangle \langle \partial^\beta \partial^\gamma \partial^\gamma \rangle \langle \partial^j \partial^\alpha \partial^z \rangle \langle \partial^\alpha \partial^x \partial^y \rangle \langle \partial^\mu \partial^\nu \partial^\nu \rangle \\
& + \frac{1}{24} \langle \partial^i \partial^\beta \partial^\mu \rangle \langle \partial^\beta \partial^\gamma \partial^z \rangle \langle \partial^\gamma \partial^x \partial^y \rangle \langle \partial^j \partial^\alpha \partial^\alpha \rangle \langle \partial^\mu \partial^\nu \partial^\nu \rangle
\end{aligned}$$

$$\begin{aligned}
& \langle \partial^x \partial^\mu \partial^\nu \rangle \langle \partial^\mu \partial^\nu \partial^y \partial^z \rangle_1 \mapsto \\
& - \frac{1}{24} \langle \partial^x \partial^\mu \partial^\nu \rangle \langle \partial^i \partial^\nu \partial^\alpha \rangle \langle \partial^\alpha \partial^\beta \partial^\mu \rangle \langle \partial^\beta \partial^\gamma \partial^\gamma \rangle \langle \partial^j \partial^y \partial^z \rangle \\
& - \frac{1}{24} \langle \partial^x \partial^\mu \partial^\nu \rangle \langle \partial^i \partial^x \partial^\alpha \rangle \langle \partial^\alpha \partial^\beta \partial^y \rangle \langle \partial^\beta \partial^\gamma \partial^\gamma \rangle \langle \partial^j \partial^\mu \partial^\nu \rangle \\
& + \frac{1}{12} \langle \partial^x \partial^\mu \partial^\nu \rangle \langle \partial^i \partial^\beta \partial^y \rangle \langle \partial^\beta \partial^\gamma \partial^\gamma \rangle \langle \partial^j \partial^\alpha \partial^z \rangle \langle \partial^\alpha \partial^\mu \partial^\nu \rangle \\
& + \frac{1}{24} \langle \partial^x \partial^\mu \partial^\nu \rangle \langle \partial^i \partial^\beta \partial^z \rangle \langle \partial^\beta \partial^\gamma \partial^y \rangle \langle \partial^\gamma \partial^\mu \partial^\nu \rangle \langle \partial^j \partial^\alpha \partial^\alpha \rangle
\end{aligned}$$

$$\begin{aligned}
& \langle \partial^x \partial^y \partial^\mu \rangle \langle \partial^\mu \partial^\nu \partial^\nu \partial^z \rangle_1 \mapsto \\
& + \frac{1}{24} \langle \partial^x \partial^y \partial^j \rangle \langle \partial^i \partial^\alpha \partial^\nu \rangle \langle \partial^\nu \partial^\beta \partial^\alpha \rangle \langle \partial^\beta \partial^\gamma \partial^z \rangle \langle \partial^\gamma \partial^\mu \partial^\mu \rangle \\
& - \frac{1}{24} \langle \partial^x \partial^y \partial^\mu \rangle \langle \partial^i \partial^z \partial^\alpha \rangle \langle \partial^\alpha \partial^\beta \partial^\mu \rangle \langle \partial^\beta \partial^\gamma \partial^\gamma \rangle \langle \partial^j \partial^\nu \partial^\nu \rangle \\
& - \frac{1}{24} \langle \partial^x \partial^y \partial^\mu \rangle \langle \partial^i \partial^\nu \partial^\alpha \rangle \langle \partial^\alpha \partial^\beta \partial^\nu \rangle \langle \partial^\beta \partial^\gamma \partial^\gamma \rangle \langle \partial^j \partial^\mu \partial^z \rangle \\
& + \frac{1}{24} \langle \partial^x \partial^y \partial^\mu \rangle \langle \partial^i \partial^\beta \partial^\mu \rangle \langle \partial^\beta \partial^\gamma \partial^\gamma \rangle \langle \partial^j \partial^\alpha \partial^z \rangle \langle \partial^\alpha \partial^\nu \partial^\nu \rangle \\
& + \frac{1}{24} \langle \partial^x \partial^y \partial^\mu \rangle \langle \partial^i \partial^\beta \partial^z \rangle \langle \partial^\beta \partial^\gamma \partial^\gamma \rangle \langle \partial^j \partial^\alpha \partial^\nu \rangle \langle \partial^\alpha \partial^\mu \partial^\nu \rangle \\
& + \frac{1}{24} \langle \partial^x \partial^y \partial^\mu \rangle \langle \partial^i \partial^\beta \partial^z \rangle \langle \partial^\beta \partial^\gamma \partial^\nu \rangle \langle \partial^\gamma \partial^\mu \partial^\nu \rangle \langle \partial^j \partial^\alpha \partial^\alpha \rangle
\end{aligned}$$

The other graphs all have $\mathbf{r}_4(\Gamma) = 0$.

Now let's check all the coefficients:

$$\langle \partial^x \partial^\mu \partial^\nu \rangle \langle \partial^\mu \partial^y \partial^z \rangle \langle \partial^i \partial^\beta \partial^\nu \rangle \langle \partial^\beta \partial^\gamma \partial^\gamma \rangle \langle \partial^j \partial^\alpha \partial^\alpha \rangle : \quad \frac{1}{576}c_1 + \frac{1}{288}c_3 + \frac{1}{288}c_4 + \frac{1}{12}c_{15} + \frac{1}{24}c_{18} = 0.$$

$$\langle \partial^i \partial^\nu \partial^\alpha \rangle \langle \partial^\alpha \partial^\beta \partial^x \rangle \langle \partial^\beta \partial^\gamma \partial^\gamma \rangle \langle \partial^\mu \partial^\mu \partial^\nu \rangle \langle \partial^j \partial^y \partial^z \rangle : \quad \frac{1}{384}c_3 + \frac{1}{1152}c_4 - \frac{1}{8}c_{15} - \frac{1}{24}c_{18} + \frac{1}{24}c_{20} = 0.$$

$$\langle \partial^x \partial^\mu \partial^j \rangle \langle \partial^\mu \partial^y \partial^z \rangle \langle \partial^i \partial^\beta \partial^\nu \rangle \langle \partial^\beta \partial^\gamma \partial^\gamma \rangle \langle \partial^\nu \partial^\alpha \partial^\alpha \rangle : \quad \frac{1}{1152}c_1 + \frac{1}{24}c_{15} - \frac{1}{24}c_{20} = 0.$$

$$\langle \partial^j \partial^x \partial^\mu \rangle \langle \partial^\mu \partial^\nu \partial^\nu \rangle \langle \partial^i \partial^y \partial^\alpha \rangle \langle \partial^\alpha \partial^\beta \partial^z \rangle \langle \partial^\beta \partial^\gamma \partial^\gamma \rangle : \quad \frac{1}{576}c_3 - \frac{1}{576}c_4 - \frac{1}{4}c_{15} - \frac{1}{8}c_{18} = 0.$$

3.6. Conclusion. By Lemma 1 in [7], $\mathbf{r}_l(E) = 0$ for $l \geq 3$ (respectively 4, 5) for $(g, n, k) = (2, 1, 2)$, (respectively $(2, 2, 2), (2, 3, 2)$). Therefore, Conjectures 1 and 2 are proved. By a Betti number calculation of E. Getzler [4], they are the only tautological equations for the corresponding (g, n, k) . Therefore, Conjecture 3 also holds.

REFERENCES

- [1] D. Arcara, Y.-P. Lee, *Tautological equation in $\overline{\mathcal{M}}_{3,1}$ via invariance conjecture*, math.AG/0503184.
- [2] P. Belorousski, R. Pandharipande, *A descendent relation in genus 2*, Ann. Scuola Norm. Sup. Pisa Cl. Sci. (4) 29 (2000), no. 1, 171–191.
- [3] E. Getzler, *Intersection theory on $\overline{\mathcal{M}}_{1,4}$ and elliptic Gromov-Witten invariants*, J. Amer. Math. Soc. 10 (1997), no. 4, 973–998.
- [4] E. Getzler, *Topological recursion relations in genus 2*, Integrable systems and algebraic geometry (Kobe/Kyoto, 1997), 73–106, World Sci. Publishing, River Edge, NJ, 1998.
- [5] A. Givental, Y.-P. Lee, preliminary draft.
- [6] Y.-P. Lee, *Witten’s conjecture and Virasoro conjecture up to genus two*, math.AG/0310442. To appear in the proceedings of the conference ”Gromov-Witten Theory of Spin Curves and Orbifolds”, Contemp. Math., AMS.
- [7] Y.-P. Lee, *Invariance of tautological equations I: conjectures and applications*, math.AG/0604318.
- [8] Y.-P. Lee, *Invariance of tautological equations II: Gromov-Witten theory*, preprint available at <http://www.math.utah.edu/~yplee/research/>.
- [9] Y.-P. Lee, *Witten’s conjecture, Virasoro conjecture, and invariance of tautological relations*, math.AG/0311100.

DEPARTMENT OF MATHEMATICS, UNIVERSITY OF UTAH, SALT LAKE CITY, UT 84112-0090, USA

E-mail address: `arcara@math.utah.edu`

E-mail address: `yplee@math.utah.edu`